

**pinta**acoustic

2601 49<sup>th</sup> Avenue N, #400  
Minneapolis, Minnesota 55430  
Phone: 612.355.4250  
Fax: 612.355.4255

**MATERIAL SAFETY DATA INFORMATION**  
**Prospec Barrier Non-Reinforced**

Emergency Telephone Number:  
(781) 647-1700

Dated: December 11, 2008

Page: 1 of 3

**HMIS/EEC RATING**

HMIS Hazard Identification system:      0-Minimal      1-Slight      2-Moderate      3-High  
   4-Extreme      \*-Chronic

Health: 1                      Flammability: 0                      Reactivity: 0

Not subject to labeling in accordance with EEC Directives.

**SECTION I - IDENTITY**

**Product Name:** PROSPEC barrier, Non-Reinforced

**Product Type:** Mass-Loaded Vinyl, Black, Non-Reinforced

**SECTION II - COMPOSITION/INFORMATION ON INGREDIENTS**

COMPONENT	CAS NUMBER	WT %	ACGIH		OHSA		NOTES
			TLV-TWA	TLV-STE	PEL-TWA	PEL-CEIL	

VINYL Sound Deadening Products are classified as "ARTICLES" under applicable EPA Regulations and OSHA Standards. Under normal conditions of use, these articles do not release or otherwise result in exposure to a hazardous chemical.

Page 2 of 3 – PROSPEC Barrier – Non-Reinforced

### SECTION III – HEALTH HAZARD IDENTIFICATION

**Route(s) of Entry:** Inhalation: NO; Skin: NO; Ingestion: NO

**Health Hazards (Acute and Chronic) (NOTE: Refer to SECTION II):**

NTP: NO

IARC Monographs: NO

OSHA Regulated: NO

**Skin and Symptoms of Exposure:** None known under normal use.

**Medical Conditions Generally Aggravated by Exposure:** N/A

**Emergency and First Aid Procedures:** Wash skin with soap and water. For skin burns caused by exposure to HEATED material, immediately immerse affected area in cold water and flush with large amounts of cold water. Cover with gauze and seek prompt medical attention.

### SECTION IV – FIRE & EXPLOSION HAZARD DATA

**Flash Point (method used):** N/A

**Flammable Limits:** Not Established

**LEL:** N/A

**UEL:** N/A

**Extinguishing Media:** Water spray, foam, carbon dioxide when fighting a fire involving this material.

**Special Fire Fighting Equipment:** Wear self-contained breathing apparatus when exposed to products in decomposition.

**Unusual Fire and Explosion Hazards:** None

### SECTION V – PRECAUTIONS FOR SAFE HANDLING AND USE

**Steps to be taken in case material is released or spilled:** N/A

**Waste Disposal Method:** In accordance with applicable environmental waste control regulations.

**Precautions to be taken in Handling and Storing:** Normal hygienic practices, store in ambient temperatures.

**Other Precautions:** None Required

### SECTION VI – EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Respiratory Protection (Specify Type):** None

**Ventilation: Local Exhaust:** Only if dust is generated.

Special: N/A

Mechanical: N/A

Other: N/A

**Protective Gloves:** Gloves should be worn as good industrial practice.

**Eye Protection:** When cutting product, safety glasses are good industrial practice.

**Other Protective Clothing or Equipment:** N/A

**Work/Hygienic Practices:** Normal Hygiene

Page 3 of 3 – PROSPEC Barrier – Non-Reinforced

### SECTION VII – PHYSICAL AND CHEMICAL PROPERTIES

**Boiling Point:** N/A  
**Vapor Pressure (mm Hg):** N/A  
**Evaporation Rate (Butyl Acetate = 1):** N/A  
**Appearance and Odor:** Solid, Flexible material

**Specific Gravity (H<sub>2</sub>O = 1):** 1.97 +/- 0.03  
**Melting Point:** 300 – 325 Degree F  
**Solubility in Water:** N/A  
**Vapor Density (AIR = 1):** N/A

### SECTION VIII – STABILITY AND REACTIVITY

**Stability:** Stable

**Conditions to Avoid:** Temperatures above 400 Degrees F

**Incompatibility (Material to avoid):** None Known

**Hazardous Decomposition or Byproducts:** Hydrogen Chloride gas, Carbon Dioxide Oxidation, and decomposition products would result from the combustion or thermal degradation of this product.

**Hazardous Polymerization:** Will not occur.

**Conditions to Avoid:** Temperatures above 400 Degrees F

### SECTION IX – TRANSPORT INFORMATION

**D.O.T. Shipping Name:** N/A

**D.O.T. Hazard Class:** Non-regulated

**D.O.T. Classification:** Rolled Matting Plastic or Rubber (NMFC156830, Class 55 or Class 70)

### SECTION X – DISCLAIMER OF LIABILITY

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material.

Final determination of the suitability of this material is the sole responsibility of the user. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

\*\*\*\*END OF MSDS\*\*\*\*