SHAPE THE SOUND OF YOUR SPACE ECHOPANEL®



CREATIVE

H-Baffles #444



Shape the sound of your space beautifully with new EchoPanel® from Kirei.



Versatile EchoPanel® acoustic panels and tiles add color and style to any space while absorbing extra noise. EchoPanel® panels and tiles are manufactured using recycled PET plastic bottles, eco-friendly dyes and no added adhesive, resulting in a Green Tag[™]-certified product which can help gain LEED[™] green building credits.



DESIGN

Kirei EchoPanel[®] Sounds Beautiful




AHM Delle 1 enjoy OUND xperiences MAT TER? THORE Worker udents pace learn

ECHOPANEL®

ECHOPANEL® PANELS ARE CREATIVE SOUND DESIGN

Design something simple...or spectacular! Use EchoPanel[®] flat panels adhered to walls and ceilings for clean looks and sound absorption up to .85 NRC, or custom cut and print EchoPanel[®] to create sculptural elements that hide acoustic control in plain sight. Made from up to 60% recycled PET plastic, EchoPanel[®] helps reduce landfill waste and can help projects qualify for LEED credit.



CUSTOMIZE

EchoPanel[®] can be digitally printed and custom cut with CNC, laser, waterjet or hand knife to make your design ideas come to life.



Conference Room | Panel #258

ECHOPANEL[®] SPECS: PANEL SIZE

 PANEL SIZE
 SHEET WEIGHT

 7mm x 1210mm x 2700mm
 (.23" x 3.97' x 8.86')
 9 lbs. /sheet

 12mm x 1200mm x 2400mm
 (.47" x 3.94' x 7.87')
 16 lbs. /sheet

 24mm x 1820mm x 2400mm
 (.94" x 5.97' x 7.87')
 31 lbs. /sheet

NRC (SOUND ABSORBTION RATING): ASTM C423-90A

IRC (SOUND ABSORDHON RATING). ASTH C425-50A									
7mm:	12mm:	24mm:							
NRC .25 (no air gap)	NRC .36 (no air gap)	NRC .65 (no air gap)							
NRC .45 (20mm air gap)	NRC .55 (20mm air gap)	NRC .75 (20mm air gap)							
NRC .70 (50mm air gap)	NRC .75 (50mm air gap)	NRC .85 (50mm air gap)							
FIRE RATING:	ASTM E84 Class C (Class A treatment available)								
VOC EMISSIONS:	ASTM D5116 <.02mg/m ² /hour								

Note: All colors do not come in all thicknesses. See back page for color swatches and chart.





THE NEW MODULAR OFFICE SOLUTION EchoPanel* WRAP AND PALING

Wrap and Paling are modular partition systems that can be arranged into a variety of sound-isolating configurations for office, education or loft spaces. Wrap and Paling components may be reused over and over, and at the end of their life may be recycled into new material.

"Can acoustics make open offices suck less?" We think so.

Fast Company February 2015





GEOMETRY TILES PEEL & STICK

The Hex tile introduced the world to the simplicity of peel-and-stick acoustic design. Now for 2015, the addition of the Oblong, Square and Delta tile shapes make visually amazing, acoustically calm spaces a snap.

GEOMETRY TILE SPECIFICATIONS: Hex - 3.33 SF/box. Delta, Oblong & Square – 4.4 SF/box SOUND ABSORPTION: ASTM C423-90A NRC: .36 (no air gap) Weight: .49lbs/SF Fire Rating: ASTM E84: Class C VOC Emissions: ASTM D5116 <.02mg/m²/hour


HEX

Quantity: 10 per box

Self-adhesive backing







SQUARE Quantity: 10 per box Tile size: 200 x 200 mm



DELTA Quantity: 20 per box Tile size: 200 x 200 x 277 mm Tile size: 200 x 200 mm Self-adhesive backing





Quickly add dimension to any wall. Hollow thermoformed Mura tiles are lightweight and highly sound absorbent, plus a speedy clip system enables fast installation. Mura tiles achieve Class A fire rating right out of the box, and have up to 60% recycled content to help contribute to LEED credits. Wave, Dune and Rise .45 shapes plus 10 color options are a versatile palette to elevate any room.

AVAILABLE COLORS



WAVE

Inspired by the undulating ocean, our Wave tile provides both a steadying design force and rhythmic forms. Simple clip system installation.

WAVE Dimensions: 2.36" x 19.68" x 19.68" 60mm x 500mm x 500mm Sound Absorption: NRC .55 Fire Rating: ASTM E84 Class A 9 tiles per box plus clips for 3x3 installation

RISE .45

Wave Tile #361

The Rise .45 is a ruffled pocket square in an otherwise conservative suit, with slick design and acoustic control in an unassuming package. The simple clip system enables easy installation and replacement.

RISE .45 Dimensions: 2.56" x 17.72" x 11.81" (65mm x 450mm x 300mm) Weight: .39 lbs/tile Sound Absorption: NRC .75 Fire Rating: ASTM E84 Class A VOC Emissions: ASTM D5116 <.07mg/m²/hour 10 tiles per box plus clips for 5x2 installation

PROFILE

Dune #542

DUNE

Our Dune Tiles use the organic form of shifting sands to provide a design element that can be at once fixed in place as well as ever-changing. Simple clip system installation.

DUNE Dimensions:

1.97" x 19.68" x 19.68" 50mm x 500mm x 500mm Sound Absorption: NRC .60 Fire Rating: ASTM E84 Class A VOC Emissions: ASTM D5116 <.07mg/m²/hour 9 tiles per box plus clips for 3x3 installation



ECHOPANEL® SOLID COLORS



AVAILA	AVAILABLE COLORS			PANEL SIZE: 7mm X 1210mm X 2700mm 12mm X 1200mm X 2400mm 24mm X 1820mm X 2400mm										
PANEL	108	151	258	273	295	362	402	442	444	500	542	551	579	908
7mm								C C C						
12mm														Chiefe B
24mm														

ECHOPANEL[®] PRINT COLORS Note: All 7mm prints are single-sided, all 12mm prints are double-sided.



keeps plastic waste out of the landfill. Echopanel® is recyclable– ask us how! **LEED® information is** available up on request.

kirei

12mm