

Minneapolis, Minnesota 55412 Phone: 612.521.3555 Fax: 612.521.5639

MATERIAL SAFETY DATA INFORMATION

PROSPEC Decibel Drop Item Number 25064

Dated: 11.06.2006

Page: 1 of 4

HMIS/EEC RATING

HMIS Hazard Identification system: 0-Minimal 1-Slight 2-Moderate 3-High 4-Extreme *-Chronic

Health: 1

Flammability: 0

Reactivity: 0

Chronic: 0

Not subject to labeling in accordance with EEC Directives.

SECTION I - IDENTITY

Product Name: PROSPEC Decibel Drop

Product Type:

Water Based Dampening Adhesive

SECTION II - COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NUMBER	WEIGHT PERCENT
Latex Polymer Water Pigment Blue Proprietary Resin	None Established 7732-18-5 147-14-8 V0118534A	25 - 60% 30 - 50%

This product does not contain hazardous or carcinogenic components reportable under OSHA Hazard Communication Standards 1910.1200

Item: Decibel Drop #25064

Page 2 of 4

SECTION III - HAZARD IDENTIFICATION

Emergency Overview:

Appearance: Thin, blue paste

Odor: Slight characteristic latex to no odor

Fire Hazard: Not a significant fire hazard

Potential Health Effects:

Ingestion: Potential irritant, do not ingest

Inhalation: Not expected to be harmful under normal conditions of use. If allowed to become

airborne, may cause irritation of nose, throat, and lungs.

Skin: May cause irritation on prolonged or repeated contact or if allowed to dry on skin, brief

contact is not shown to cause irritation.

Eyes: May cause irritation.

Delayed Hazards: None known to company.

SECTION IV - FIRST AID AND MEASURES

Immediate Hazards:

Ingestion: If accidentally swallowed, dilute by drinking large quantities of water. Immediately

contact poison control center or hospital emergency room for any other additional

treatment directions.

Inhalation: Remove to fresh air.

Skin: In case of contact, flush with water and wash until clean. If material is noticed on skin

before dry, wash prior to material drying if at all possible.

Eyes: Immediately flush eyes with plenty of water. Call a physician if irritation persists.

SECTION V - FIRE & EXPLOSION HAZARD DATA

Auto Ignition Temperature:

Upper/Lower Flammability Limits:

Upper/Lower Explosive Limits, % by Volume:

Flash Point:

Not available

Not available

Not available

Material is incombustible as supplied, but dried material will support combustion. In case of fire, water should be used to keep fire-exposed containers cool.

SECTION VI – ACCIDENTAL RELEASE MEASURES

Soak up with absorbent material and remove to a chemical disposal area. Prevent entry into natural bodies of water.

SECTION Vii - HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of the material from eyes, skin and clothing. Wash thoroughly after handling. Always use appropriate Person Protective Equipment (PPE).

Storage: Keep from freezing

Store in a cool dry place. Keep containers tightly closed. Item: Decibel Drop #25064

Page 3 of 4

SECTION VIII - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Controls:

Exposure limits: None established.

Personal Protection:

Inhalation: Inhalation is not anticipated to be a route of exposure in normal use. If the product is to

become airborne use NIOSH/MSHA approved respiratory protection equipment.

Skin:

Wear latex or other water-impermeable gloves. Wear coveralls to prevent skin contact.

Eye:

Wear safety glasses.

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Percent Volatiles:

25 - 40

Evaporation Rate (Butyl Acetate=1): < 1

Upper/Lower Flammable Limits:

<u>1</u>€ < 1

pH @ 25 C:

7 - 10

Upper/Lower Explosive Limits,

Not applicable

Specific Gravity: Appearance:

1.03 - 1.08 blue colored thin paste

% by Volume:

Not applicable

Auto ignition Temp:

Not applicable

Flash Point:

Not applicable

Boiling Point:

100 deg C

Freeze Point:

0 deg C

Vapor Density (Air=1):

< 1

Odor Threshold, ppm:

Not applicable

Vapor Pressure:

mm Hg @ 20 C

Solubility in Water:

Dispersible

SECTION X - STABILITY AND REACTIVITY

Stability & Reactivity:

Stable

Incompatibles:

Strong acids and alkaline materials

Decomposition Products may include:

CO, CO2

Hazardous Polymerization:

Will not occur

Other Hazards:

None known

SECTION Xi – TOXICOLOGICAL INFORMATION

Chronic/Carcinogenicity:

No

LD50:

Not available

Information on analogous products shows minimal reason for concern.

SECTION XII - ECOLOGICAL INFORMATION

Not determined.

Information on analogous products implies that this product will not be toxic to fish or plants.

Polymer is not biodegradable.

SECTION XIII - DISPOSAL CONSIDERATIONS

Dispose in accordance with applicable federal, state and local government regulations.

SECTION XIV - TRANSPORT INFORMATION

None required.

Item: Decibel Drop #25064

Page 4 of 4

SECTION XV - REGULATORY INFORMATION (SELECTED REGULATIONS)

15.1 U.S. Federal Regulations:

Canadian Regulatory Information:

This product is not classified as hazardous under WHMIS.

VOC:

< 5 gram per liter (calculated)

TSCA Section 8(b) Inventory: All reportable chemical substances are listed on the TSCA Inventory or is governed by CFR (Code Federal Regulation) Section 40 CFR 723.250, "Benign exemption", exempting it from mandate of TSCA registry. We rely on statements of compliance from our suppliers.

SECTION XVI – OTHER INFORMATION

User's Responsibility: The OSHA Hazard Communication Standard 29CF\$ 1910.1200 and the Workplace Hazardous Materials Information System (WHMIS) require that the information contained on these sheets be made available to your workers. Trained, educated workers are your companies' greatest safety assets.

DISCLAIMER: SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE, except that the product shall conform to contracted specifications, and that the product does not infringe any valid United States or Canadian patent. All claims shall be limited to purchase price only. Seller is liable in no event for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise. Seller certifies only that the information in this sheet is, to the limits of their knowledge, accurate. Seller relies to some extent on supplier data and is not responsible for errors contained therein.

****END OF MSDS****