

MATERIAL SAFETY DATA SHEET

proFLEXvinyls

1201 E. Pecan Street
Sherman, Texas 75090

EMERGENCY PHONE: 903-870-2131

DATE OF PREPARATION: 05-01-07

I. PRODUCT IDENTIFICATION:

NAME OF PRODUCT: 904*****PRESCO** SERIES FLAME RETARDANT FLEXIBLE
POLYVINYL CHLORIDE FILM
CHEMICAL NAME: NOT APPLICABLE (MIXTURE)
CHEMICAL FAMILY: ORGANIC POLYMER COMPOSITE
FORMULA: PROPRIETARY COMPOSITE OF PVC RESIN AND FUNCTIONAL
INGREDIENT.
DOT HAZARDOUS
CLASSIFICATION: NOT APPLICABLE

II. INGREDIENTS:

PRINCIPLE HAZARDOUS COMPONENTS	PERCENT	HAZARD DATA
VINYL CHLORIDE MONOMER	LESS THAN 2 PPM	CANCER SUSPECT AGENT REGULATED BY OSHA 29 CFR 1910.1017
BARIUM ZINC STABILIZER	LESS THAN 2%	BARIUM & ZINC OXIDE PHOSPHORUS OXIDE, CARBON MONOXIDE & CARBON DIOXIDE WHEN BURNED.
BIS(2-ETHYLHEXYL)TETRA- BROMOPHTHALATE	LESS THAN 2%	CAS # 26040517
ANTIMONY OXIDE	LESS THAN 0.5%	CAS # 1309644

III. PHYSICAL DATA:

BOILING POINT:	N/A	MELTING POINT:	SOFTENS ABOVE 70 DEG. C.
VAPOR PRESSURE:	N/A	VAPOR DENSITY:	N/A
WATER SOLUBILITY:	INSOLUBLE	% VOLATILE BY WT:	0.5% MAX.
VISCOSITY:	N/A	SPECIFIC GRAVITY:	1.28
APPEARANCE/ODOR:	COLORED FLEXIBLE FILM MATERIAL WITH A CHARACTERISTIC ODOR.		

IV. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: N/A
FLAMMABLE LIMITS IN AIR: UNKNOWN
EXTINGUISHING MEDIA: WATER, FOAM, CARBON DIOXIDE
FIRE FIGHTING PROCEDURE: SELF CONTAINED BREATHING APPARATUS WITH
FULL FACE PIECE IN POSITIVE PRESSURE MODE
AND AN IMPERVIOUS SUITE.
FIRE AND EXPLOSION HAZARDS: ON BURNING, MAY PRODUCE IRRITATING TOXIC
VAPORS INCLUDING HYDROGEN CHLORIDE,
HYDROGEN BROMIDE, OXIDES OF CARBON, BARIUM,
AND ZINC.

ABBREVIATIONS: N/A--NOT APPLICABLE

PRESKO PRODUCTS MATERIAL SAFETY DATA SHEET

PAGE-2

V. HEALTH HAZARD INFORMATION

THRESHOLD LIMIT VALUE:	NOT ESTABLISHED; THE MATERIAL CONTAINS VINYL CHLORIDE MONOMER, A CANCER-SUSPECT AGENT.
EFFECTS OF OVER EXPOSURE:	NO SIGNIFICANT HAZARDS AT AMBIENT TEMPERATURES.
EYE CONTACT:	EYE CONTACT IS NOT EXPECTED TO OCCUR DURING NORMAL USE OF THE PRODUCT. DUST CREATED BY CUTTING, GRINDING, SANDING OR MACHINING MAY CAUSE EYE IRRITATION.
SKIN CONTACT:	NO ADVERSE HEALTH EFFECTS ARE EXPECTED FROM SKIN CONTACT.
INHALATION:	VAPORS OF HEATED MATERIAL MAY CAUSE RESPIRATORY SYSTEM IRRITATION.

VI. REACTIVITY DATA

STABILITY:	STABLE AT AMBIENT TEMPERATURE; PROLONGED HEAT ABOVE 100 DEG. C. WILL CAUSE ITS DECOMPOSITION, EMITTING HYDROGEN CHLORIDE.
CHEMICAL INCOMPATIBILITY:	COMPATIBLE WITH OTHER STABLE COMPOUNDS. AVOID KETONE.
DECOMPOSITION PRODUCTS:	HYDROGEN CHLORIDE, HYDROCARBONS, OXIDES OF CARBON, BARIUM AND ZINC MAY BE PRODUCED, WHEN BURNED.
POLYMERIZATION HAZARD:	WILL NOT OCCUR.

VII. ENVIRONMENTAL INFORMATION:

WASTE DISPOSAL METHOD:	LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
REPORTABLE QUANTITY:	NOT APPLICABLE.

VIII. SPECIAL PROTECTION INFORMATION

VENTILATION:	NO SPECIAL VENTILATION IS REQUIRED AT AMBIENT TEMPERATURE.
RESPIRATORY PROTECTION:	NO SPECIAL RESPIRATORY PROTECTION IS REQUIRED AT AMBIENT TEMPERATURE.
EYE PROTECTION:	SAFETY GLASSES
GLOVES:	NO SPECIAL GLOVES ARE REQUIRED.

PROVIDE EXHAUSTS AND RESPIRATORY PROTECTION WHEN USE OF THE MATERIAL WILL EXCEED 100 DEG. C.

PRESCO PRODUCTS MATERIAL SAFETY DATA SHEET

PAGE-3

IX. SPECIAL PRECAUTIONS.

HYGIENIC PRACTICES IN HANDLING AND STORAGE:

STORE IN COOL, DRY LOCATION-FOR INDUSTRY USE ONLY.

PRECAUTIONS IN HANDLING AND STORAGE:

ELECTRICAL GROUNDING IS RECOMMENDED ON HANDLING EQUIPMENT.

DISCLAIMER OF LIABILITY:

AS THE CONDITIONS OR METHODS OF USE ARE BEYOND OUR CONTROL, WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM ANY LIABILITY FOR ANY USE OF THIS MATERIAL. INFORMATION CONTAINED HEREIN IS BELIEVED TO BE TRUE AND ACCURATE, BUT ALL STATEMENTS OR SUGGESTIONS ARE MADE WITHOUT WARRANTY, EXPRESSED OR IMPLIED, REGARDING ACCURACY OF THE INFORMATION, THE HAZARDS CONNECTED WITH THE USE OF THE MATERIAL OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS REMAIN THE RESPONSIBILITY OF THE USER.

Rick Boyce

From: Joerg Hutmacher <JHutmacher@pinta-acoustic.com>
Sent: Monday, October 29, 2012 9:20 AM
To: Rick Boyce
Subject: RE: MSDS
Attachments: taffetaviny.pdf; willtec - 11231, 24532.doc

Good Morning Rick:

Attached please find the MSDS for willtec and the Taffeta Vinyl, the two material used to manufacture the SONEXclean product. I have most of the MSDS available, please let me know what else you might need and I am happy to email these to you.

Best regards,
Joerg



Joerg Hutmacher
Sales Manager/
Vice President

pinta acoustic, inc.
2601 49th Avenue N., #400
Minneapolis, MN 55430, USA
phone +1 (612) 355-4230
fax +1 (612) 355-4255
toll free +1 (800) 662-0032
cellular +1 (612) 242-3634
jhutmacher@pinta-acoustic.com
www.pinta-acoustic.com

From: Rick Boyce [<mailto:rboyce@memtechacoustical.com>]
Sent: Monday, October 29, 2012 7:54 AM
To: Joerg Hutmacher
Subject: FW: MSDS

Good Morning Joerg,

Where can I find the MSDS sheets for pinta products. I have a customer that we installed and they need a MSDS for the Clean Panels. Also, I would like to find all the MSDS's so I can save them on my computer for future need.

Thanks

Rick

Rick Boyce
Lead Acoustical Consultant
Memtech Acoustical
2175 Avon Industrial Dr.
Rochester Hills, Mi. 48309
248-289-1123
877-606-3940
Fax 248-289-6317

Cell 810-869-2493
rboyce@memtechacoustical.com

From: Eric Johnson [<mailto:ericwjoh@hotmail.com>]
Sent: Friday, October 26, 2012 1:18 PM
To: Rick Boyce
Subject: Re: MSDS

Hi Rick,
I am working in CA for a week....back next Thursday.
Joerg is out today but back on Monday.....perhaps you can
check with him on Monday.
Thanks,
Eric

Sent from my iPad

On Oct 26, 2012, at 6:56 AM, "Rick Boyce" <rboyce@memtechacoustical.com> wrote:

Hello Erik,
Where can I find the MSDS sheets for pinta products. I have a customer that we installed and they need
a MSDS for the Clean Panels. Also, I would like to find all the MSDS's so I can save them on my computer
for future need.
Thanks
Rick

Rick Boyce
Lead Acoustical Consultant
Memtech Acoustical
2175 Avon Industrial Dr.
Rochester Hills, Mi. 48309
248-289-1123
877-606-3940
Fax 248-289-6317
Cell 810-869-2493
rboyce@memtechacoustical.com